

Light and Moderate Traffic - Compact Heterogeneous

LUXURY VINYL TILES




- └ *A hardwearing and resistant flooring for domestic and semi-commercial use*
- └ *Authentic images inspired by natural materials*
- └ *Versatile tones and textures for creating any design ambiance*
- └ *Warm and quiet underfoot*
- └ *PUR-reinforced surface for easy cleaning*

| Technical data | | I.D. Living |
|--|--|---|
| Classification | EN 685 domestic - commercial | Classes: 23 - 31 |
| Total thickness | EN 428 | 2.00 mm |
| Wear layer thickness | EN 429 | 0.30 mm |
| Total weight | EN 430 | 3 400 g/m ² |
| PUR Reinforcement | - | yes |
| Abrasion group | EN 600-1 | Group T: ≤ 0,08mm |
| Static indentation | EN 433 | ≤ 0,05mm |
| Furniture leg | EN 424 | No damage |
| Castor chair | EN 425 | No damage |
| Dimensional stability | EN 434 | Length + width < 0,10 % |
| Curl resultant to heat | EN 434 | ≤ 2mm |
| Reaction to fire | EN 13501-1 ASTM E648 | B _{fl} s1 over A2 _{fl} or A1 _{fl} substrate (concrete) Category 1 |
| Slip resistance | DIN 51130 EN 13893 | R9 ≤ 0.3 |
| Electrical properties | EN 1815 EN 1081 | < 2 kV on concrete R _i > 10 ¹⁰ ohms |
| Impact sound reduction | EN ISO 140-8 EN ISO 717/2 ΔL _w | 2 dB |
| Light fastness | EN ISO 105-B02 | ≥ 6 |
| Chemical resistance | EN 423 | Good resistance |
| Thermal resistance Underfloor heating | EN 12524 | 0.01 m ² K/W Suitable |
| Colours | - | 16 Wood - 3 Mineral - 1 Leather |
| Form of delivery | EN 427 | Tiles: 47.1 x 47.1 cm Planks: 15.7 x 94.2 cm |

The above information is subject to modification for the benefit of further improvement (01/2010).
For more detailed technical information, please contact Tarkett.

I.D. Living

- └ A hardwearing and resistant flooring for domestic and semicommercial use
- └ Authentic images inspired by natural materials
- └ Versatile tones and textures for creating any design ambiance
- └ Warm and quiet underfoot
- └ PUR-reinforced surface for easy cleaning





3974 001



3972 004



3972 003



3973 002



3972 001



3972 010



3972 009



3974 003



3972 007



3972 002



3974 002



3973 006



3973 003



3973 004



3973 005



3974 004



3972 008



3972 005



3972 006



3973 001